




BT CHUCKS
JIS-B 6339


TAPER SHANKS DATA SHEET




JIS-B 6339 - MAS 403/BT SHAPE A

ISO	d	l1	D	M	y	d2	f	d3	b
30	31,75	48,4	12,5	M12	2	46	20	56,144	16,1
40	44,45	65,4	17	M16	2	63	25	75,68	16,1
50	69,85	101,8	25	M24	3	100	35	110,02	25,7


TAPER SHANKS DATA SHEET



SHAPE AD



SHAPE B



JIS-B 6339 MAS 403/BT SHAPE AD/B

ISO	d	l1	D	M	y	d2	f	d3	d4	e1	b
40	44,45	65,4	17	M16	2	63	25	75,68	4	27	16,1
50	69,85	101,8	25	M24	3	100	35	110,02	5	42	25,7

For coolant through V-flange bores (B) or center of toolholders (AD). For central coolant, the V-flange channels are closed by socket screws.

TECHNICAL FEATURES KINTEK DIN TOOLHOLDERS

JIS-B 6339 MAS 403/BT SHAPE A-AD/B

All Kintek Toolholders are manufactured according to DIN norm.

COLLET CHUCK RUNOUT ACCURACY

The norm DIN6391 permits a runout error between external cone and internal cone / collet seat of 0.016.

Our production has a runout accuracy which is guaranteed to be within 0,003 / 0,010 m at the tool seat.

SHELL END MILL ADAPTOR RUNOUT ACCURACY

Our shell end mill adaptors meet the requirements of the norm DIN6358, which prescribes for diameters 16-22-27-32-40 a runout accuracy of: 0, 01 for SK 30/40 0,015 for SK 50.

WELDON END MILL HOLDER RUNOUT ACCURACY

According to the norm DIN6359-1 Weldon end mill holders have to meet the following requirements:

BORE: H5 tolerance

RUNOUT ACCURACY: <0.01 (per ISO 40)

Our end mill adaptors ensure the prescribed holes' tolerance and have a runout accuracy which is normally 0.005.

BALANCING

The major part of toolholders of this category can run up to 8000 rpm grade G 6,3 or 12000 rpm. Besides the descriptive and dimensional table of products, you can find the additive balancing grade.

CONSTRUCTIVE FEATURES

- Manufactured with Casehardening Steel.
- Casehardened with depth 0,6 - 0,8 mm
- Hardened-Tempered
- Hardness HRC 58+-2, Strength 800-1000 N/mm²
- Black oxidized
- Internal and external grinding finished.

NEW HIGH-SPEED BALANCING TOOLHOLDERS


The new high-speed toolholders are balanced in the Grade G 2,5 at 25000 rpm.

CONSTRUCTIVE FEATURES FOR HIGH-SPEED TOOLHOLDERS

- Manufactured with casehardening Steel.
- Casehardened with depth 0,6 - 0,8 mm
- Hardened-Tempered
- Hardness HRC 58+-2, Strength 800-1000 N/mm²
- Black oxidized
- Internal and external grinding finish of the cone
- Grinding finish on the front side and on the thread of collet nuts.
- Tested 100% with certified measuring instruments and supplied with balancing certificate


CONE TOLERANCE

According to the class AT3



ISO	L	dA-dB	AT3
30	42	12.250	+0.002
40	59	17.208	+0.003
50	92	26.833	+0.004


SHORT TYPE WELDON END MILL HOLDERS



JIS-B 6339 MAS 403/BT SHAPE AD/B - DIN 1835 B

COD. (AD)	COD. (AD+B)	DESCRIPTION	ISO	D	L	d	G6,3 12000	G6,3 15000	1	1
									SCREW 1	SCREW 2
										
263-115630	-	BT 30 - WE 12 / H35	30	12	35	42	•	-	811-106013	-
0976	-	BT 30 - WE 16 / H35	30	16	35	42	•	-	811-106026	-
263-115650	-	BT 30 - WE 20 / H35	30	20	35	43	•	-	811-106024	-
263-115660	-	BT 30 - WE 25 / H35	30	25	35	45,5	•	-	811-106026	-
3053	-	BT 40 - WE 12 / H 35	40	12	35	44	-	•	811-106005	-
213-11493	5122	BT 40 - WE 16 / H 35	40	16	35	44	-	•	0068	-
213-11494	5123	BT 40 - WE 20 / H 35	40	20	35	44	-	•	811-106027	-
213-11495	-	BT 40 - WE 25 / H 35	40	25	35	44	-	•	811-106026	-
213-11496	4554	BT 40 - WE 25 / H 60	40	25	60	49	-	•	811-106026	811-106014
3069	-	BT 40 - WE 32 / H 40	40	32	40	44	-	•	0074	-
213-11497	4556	BT 40 - WE 32 / H 70	40	32	70	72	-	•	811-106026	4977
213-11498	-	BT 50 - WE 16 / H 44	50	16	44	70	•	-	811-106006	-
213-11499	5126	BT 50 - WE 20 / H 44	50	20	44	70	•	-	811-106007	-
263-11401	5127	BT 50 - WE 25 / H 44	50	25	44	70	•	-	811-106008	-
263-11402	5128	BT 50 - WE 32 / H 44	50	32	44	70	•	-	811-106009	-
8468	8473	BT 50 - WE 40 / H 44	50	40	44	70	•	-	0259	-

WELDON END MILL HOLDERS




JIS-B 6339 MAS 403/BT SHAPE AD/B - DIN 1835 B

COD. (AD)	COD. (AD+B)	DESCRIPTION	ISO	D	L	d	G6,3 12000	G6,3 15000	1 SCREW
									
263-11501	-	BT 30 - WE 6 / H 50	30	6	50	25	-	•	811-106001
263-11502	-	BT 30 - WE 8 / H 50	30	8	50	28	-	•	811-106002
263-11503	-	BT 30 - WE 10 / H 50	30	10	50	35	-	•	811-106004
263-11504	-	BT 30 - WE 12 / H 55	30	12	55	42	-	•	811-106005
263-11505	-	BT 30 - WE 16 / H 63	30	16	63	48	-	•	811-106006
263-11506	-	BT 30 - WE 20 / H 70	30	20	70	52	-	•	811-106007
213-11413	4909	BT 40 - WE 6 / H 50	40	6	50	25	-	•	811-106001
213-11434	5863	BT 40 - WE 6 / H 100	40	6	100	25	-	•	811-106001
8004	8021	BT 40 - WE 6 / H 130	40	6	130	25	-	•	811-106001
213-11442	5864	BT 40 - WE 6 / H 160	40	6	160	25	-	•	811-106001
4253	4391	BT 40 - WE 6 / H 200	40	6	200	25	-	•	811-106001
213-11414	4910	BT 40 - WE 8 / H 50	40	8	50	28	-	•	811-106002
213-11435	5865	BT 40 - WE 8 / H 100	40	8	100	28	-	•	811-106002
8005	8022	BT 40 - WE 8 / H 130	40	8	130	28	-	•	811-106002
213-11443	5866	BT 40 - WE 8 / H 160	40	8	160	28	-	•	811-106002
4254	4396	BT 40 - WE 8 / H 200	40	8	200	28	-	•	811-106002
213-11415	4911	BT 40 - WE 10 / H 63	40	10	63	35	-	•	811-106004
213-11436	5867	BT 40 - WE 10 / H 100	40	10	100	35	-	•	811-106004
8006	8023	BT 40 - WE 10 / H 130	40	10	130	35	-	•	811-106004
213-11444	5868	BT 40 - WE 10 / H 160	40	10	160	35	-	•	811-106004
4255	4397	BT 40 - WE 10 / H 200	40	10	200	35	-	•	811-106004
213-11416	4912	BT 40 - WE 12 / H 63	40	12	63	42	-	•	811-106005
213-11437	5869	BT 40 - WE 12 / H 100	40	12	100	42	-	•	811-106005
8007	8024	BT 40 - WE 12 / H 130	40	12	130	42	-	•	811-106005
213-11445	5870	BT 40 - WE 12 / H 160	40	12	160	42	-	•	811-106005
4262	4401	BT 40 - WE 12 / H 200	40	12	200	42	-	•	811-106005
213-11417	4913	BT 40 - WE 14 / H 63	40	14	63	44	-	•	811-106005
213-11438	5871	BT 40 - WE 14 / H 100	40	14	100	44	-	•	811-106005
8008	8025	BT 40 - WE 14 / H 130	40	14	130	44	-	•	811-106005
4268	4432	BT 40 - WE 14 / H 160	40	14	160	44	-	•	811-106005
-	4433	BT 40 - WE 14 / H 200	40	14	200	44	-	•	811-106006
213-11418	4914	BT 40 - WE 16 / H 63	40	16	63	48	-	•	811-106006
213-11439	5872	BT 40 - WE 16 / H 100	40	16	100	48	-	•	811-106006
8009	8026	BT 40 - WE 16 / H 130	40	16	130	48	-	•	811-106006
213-11446	5873	BT 40 - WE 16 / H 160	40	16	160	48	-	•	811-106006
4270	4434	BT 40 - WE 16 / H 200	40	16	200	48	-	•	811-106006

follows >>

WELDON END MILL HOLDERS




JIS-B 6339 MAS 403/BT SHAPE AD/B - DIN 1835 B

COD. (AD)	COD. (AD+B)	DESCRIPTION	ISO	D	L	d	G6,3 12000	G6,3 15000	1 SCREW
									
213-11419	4915	BT 40 - WE 18 / H 63	40	18	63	50	-	•	811-106006
213-11440	5874	BT 40 - WE 18 / H 100	40	18	100	50	-	•	811-106006
4272	-	BT 40 - WE 18 / H 200	40	18	200	50	-	•	811-106006
213-11420	4916	BT 40 - WE 20 / H 63	40	20	63	52	-	•	811-106007
213-11441	5875	BT 40 - WE 20 / H 100	40	20	100	52	-	•	811-106007
5067	4437	BT 40 - WE 20 / H 130	40	20	130	52	-	•	811-106007
213-11447	5876	BT 40 - WE 20 / H 160	40	20	160	52	-	•	811-106007
4274	4446	BT 40 - WE 20 / H 200	40	20	200	52	-	•	811-106007
213-11421	4917	BT 40 - WE 25 / H 90	40	25	90	65	-	•	811-106008
5069	4939	BT 40 - WE 25 / H 130	40	25	130	65	-	•	811-106008
213-11468	4448	BT 40 - WE 25 / H 160	40	25	160	65	-	•	811-106008
4358	4479	BT 40 - WE 25 / H 200	40	25	200	65	-	•	811-106008
213-11422	4918	BT 40 - WE 32 / H 100	40	32	100	72	-	•	811-106009
5071	4480	BT 40 - WE 32 / H 130	40	32	130	72	-	•	811-106009
213-11469	4481	BT 40 - WE 32 / H 160	40	32	160	72	-	•	811-106009
4359	4482	BT 40 - WE 32 / H 200	40	32	200	72	-	•	811-106009
213-11465	4919	BT 40 - WE 40 / H 105	40	40	105	80	-	•	811-106009
213-11423	4920	BT 50 - WE 6 / H 63	50	6	63	25	•	-	811-106001
213-11448	5877	BT 50 - WE 6 / H 100	50	6	100	25	•	-	811-106001
8011	8028	BT 50 - WE 6 / H 130	50	6	130	25	•	-	811-106001
5568	5878	BT 50 - WE 6 / H 160	50	6	160	25	•	-	811-106001
213-11484	4485	BT 50 - WE 6 / H 200	50	6	200	25	•	-	811-106001
213-11424	4921	BT 50 - WE 8 / H 63	50	8	63	28	•	-	811-106002
213-11449	5879	BT 50 - WE 8 / H 100	50	8	100	28	•	-	811-106002
8012	8029	BT 50 - WE 8 / H 130	50	8	130	28	•	-	811-106002
213-11458	5880	BT 50 - WE 8 / H 160	50	8	160	28	•	-	811-106002
213-11485	4497	BT 50 - WE 8 / H 200	50	8	200	28	•	-	811-106002
213-11425	4922	BT 50 - WE 10 / H 70	50	10	70	35	•	-	811-106004
213-11450	5907	BT 50 - WE 10 / H 100	50	10	100	35	•	-	811-106004
8013	8030	BT 50 - WE 10 / H 130	50	10	130	35	•	-	811-106004
213-11459	5908	BT 50 - WE 10 / H 160	50	10	160	35	•	-	811-106004
213-11486	4498	BT 50 - WE 10 / H 200	50	10	200	35	•	-	811-106004
213-11426	4923	BT 50 - WE 12 / H 80	50	12	80	42	•	-	811-106005
213-11451	5912	BT 50 - WE 12 / H 100	50	12	100	42	•	-	811-106005
8014	8031	BT 50 - WE 12 / H 130	50	12	130	42	•	-	811-106005
213-11460	5909	BT 50 - WE 12 / H 160	50	12	160	42	•	-	811-106005

follows >>


WELDON END MILL HOLDERS



JIS-B 6339 MAS 403/BT SHAPE AD/B - DIN 1835 B

COD. (AD)	COD. (AD+B)	DESCRIPTION	ISO	D	L	d	G6,3 12000	G6,3 15000	1 SCREW
									
213-11487	4499	BT 50 - WE 12 / H 200	50	12	200	42	•	-	811-106005
213-11427	4924	BT 50 - WE 14 / H 80	50	14	80	44	•	-	811-106005
4371	4500	BT 50 - WE 14 / H 100	50	14	100	44	•	-	811-106005
8015	8032	BT 50 - WE 14 / H 130	50	14	130	44	•	-	811-106005
4375	-	BT 50 - WE 14 / H 160	50	14	160	44	•	-	811-106005
4376	-	BT 50 - WE 14 / H 200	50	14	200	44	•	-	811-106005
213-11428	4925	BT 50 - WE 16 / H 80	50	16	80	48	•	-	811-106006
213-11453	5913	BT 50 - WE 16 / H 100	50	16	100	48	•	-	811-106006
8016	8033	BT 50 - WE 16 / H 130	50	16	130	48	•	-	811-106006
213-11461	5910	BT 50 - WE 16 / H 160	50	16	160	48	•	-	811-106006
213-11489	4523	BT 50 - WE 16 / H 200	50	16	200	48	•	-	811-106006
213-11429	4926	BT 50 - WE 18 / H 80	50	18	80	50	•	-	811-106006
4381	4524	BT 50 - WE 18 / H 100	50	18	100	50	•	-	811-106006
8017	-	BT 50 - WE 18 / H 130	50	18	130	50	•	-	811-106006
4382	4525	BT 50 - WE 18 / H 160	50	18	160	50	•	-	811-106006
213-11430	4927	BT 50 - WE 20 / H 80	50	20	80	52	•	-	811-106007
213-11455	5914	BT 50 - WE 20 / H 100	50	20	100	52	•	-	811-106007
8018	8035	BT 50 - WE 20 / H 130	50	20	130	52	•	-	811-106007
213-11462	5911	BT 50 - WE 20 / H 160	50	20	160	52	•	-	811-106007
213-11491	4527	BT 50 - WE 20 / H 200	50	20	200	52	•	-	811-106007
213-11431	4928	BT 50 - WE 25 / H 100	50	25	100	65	•	-	811-106008
8019	8036	BT 50 - WE 25 / H 130	50	25	130	65	•	-	811-106008
213-11472	BT50H160WE25ADB	BT 50 - WE 25 / H 160	50	25	160	65	•	-	811-106008
213-11492	4528	BT 50 - WE 25 / H 200	50	25	200	65	•	-	811-106008
213-11432	4929	BT 50 - WE 32 / H 105	50	32	105	72	•	-	811-106009
8020	8037	BT 50 - WE 32 / H 130	50	32	130	72	•	-	811-106009
213-11473	5916	BT 50 - WE 32 / H 160	50	32	160	72	•	-	811-106009
213-11463	4529	BT 50 - WE 32 / H 200	50	32	200	72	•	-	811-106009
213-11433	4930	BT 50 - WE 40 / H 120	50	40	120	80	•	-	811-106009
5085	5917	BT 50 - WE 40 / H 160	50	40	160	80	•	-	811-106009
213-11594	4530	BT 50 - WE 40 / H 200	50	40	200	80	•	-	811-106009
263-11425	4552	BT 50 - WE 50 / H 125	50	50	125	100	•	-	4978

WELDON END MILL HOLDERS - HIGH SPEED LINE




JIS-B 6339 MAS 403/BT A - DIN 1835 B

HIGH SPEED LINE

COD.	DESCRIPTION	ISO	D	L	d	G2.5 25000	1 SCREW
							
213-91401	BT40H50WE06	40	6	50	25	•	811-106001
213-91402	BT40H50WE08	40	8	50	28	•	811-106002
213-91403	BT40H63WE10	40	10	63	35	•	811-106004
WE91404	BT40H63WE12	40	12	63	42	•	811-106005
213-91406	BT40H63WE16	40	16	63	48	•	811-106006
WE91408	BT40H63WE20	40	20	63	52	•	811-106007
213-91409	BT40H90WE25	40	25	90	65	•	811-106008
213-91410	BT40H100WE32	40	32	100	72	•	811-106009

WELDON END MILL HOLDERS - LONG SERIES - HIGH SPEED LINE




JIS-B 6339 MAS 403/BT A - DIN 1835 B

HIGH SPEED LINE

COD.	DESCRIPTION	ISO	D	L	d	d2	G2.5 25000	1 SCREW
								
213-91424	BT40H100WE06	40	6	100	25	35	•	811-106001
213-91425	BT40H100WE08	40	8	100	28	38	•	811-106002
213-91426	BT40H100WE10	40	10	100	35	40	•	811-106004
WE91427	BT40H100WE12	40	12	100	42	-	•	811-106005
213-91429	BT40H100WE16	40	16	100	48	-	•	811-106006
213-91431	BT40H100WE20	40	20	100	52	-	•	811-106007


WELDON END MILL HOLDERS - SHORT SERIES WITH COOLANT CHANNELS



JIS-B 6339 MAS 403/BT SHAPE AD/B - DIN 1835 B

COD.	DESCRIPTION	ISO	D	H	d	G6,3 12000	G6,3 15000	1
								SCREW
								
213-61423	BT 40 - WEC 6 / H 50	40	6	50	25	-	•	811-106001
213-61424	BT 40 - WEC 8 / H 50	40	8	50	28	-	•	811-106002
213-61425	BT 40 - WEC 10 / H 63	40	10	63	35	-	•	811-106004
213-61426	BT 40 - WEC 12 / H 63	40	12	63	42	-	•	811-106005
213-61427	BT 40 - WEC 14 / H 63	40	14	63	44	-	•	811-106005
213-61428	BT 40 - WEC 16 / H 63	40	16	63	48	-	•	811-106006
213-61429	BT 40 - WEC 18 / H 63	40	18	63	50	-	•	811-106006
213-61430	BT 40 - WEC 20 / H 63	40	20	63	52	-	•	811-106007
213-61431	BT 40 - WEC 25 / H 90	40	25	90	65	-	•	811-106008
213-61432	BT 40 - WEC 32 / H 100	40	32	100	72	-	•	811-106009
213-61433	BT 40 - WEC 40 / H 105	40	40	105	80	-	•	811-106009
213-61437	BT 50 - WEC 12 / H 80	50	12	80	42	•	-	811-106005
213-61439	BT 50 - WEC 16 / H 80	50	16	80	48	•	-	811-106006
213-61441	BT 50 - WEC 20 / H 80	50	20	80	52	•	-	811-106007
213-61442	BT 50 - WEC 25 / H 100	50	25	100	65	•	-	811-106008
213-61443	BT 50 - WEC 32 / H 105	50	32	105	72	•	-	811-106009
213-61444	BT 50 - WEC 40 / H 120	50	40	120	80	•	-	811-106009


WHISTLE NOTCH END MILL HOLDERS



JIS-B 6339 MAS 403/BT SHAPE AD - DIN 1835 B

COD.	DESCRIPTION	ISO	D	L	d	G6.3 12000	1
							SCREW
							
4666	BT 40 - WN 6 / H 50	40	6	50	25	•	811-106001
4667	BT 40 - WN 8 / H 50	40	8	50	28	•	811-106002
4668	BT 40 - WN 10 / H 63	40	10	63	35	•	811-106004
4669	BT 40 - WN 12 / H 63	40	12	63	42	•	811-106005
4670	BT 40 - WN 14 / H 63	40	14	63	44	•	811-106005
213-31417	BT 40 - WN 16 / H 63	40	16	63	48	•	811-106006
4672	BT 40 - WN 18 / H 63	40	18	63	50	•	811-106006
213-31419	BT 40 - WN 20 / H 63	40	20	63	52	•	811-106007
213-31420	BT 40 - WN 25 / H 90	40	25	90	65	•	811-106008
213-31421	BT 40 - WN 32 / H 100	40	32	100	72	•	811-106009
213-31422	BT 40 - WN 40 / H 105	40	40	105	80	•	811-106009


INDEXABLE DRILL HOLDERS



JIS-B 6339 MAS-403/BT SHAPE AD

COD.	DESCRIPTION	ISO	D	d	H	L1	G6.3 12000	1 SCREW
8574	BT 40 - D. 16 P	40	16	36	75	54	•	811-402003
217-90989	BT 40 - D. 20 P	40	20	40	75	54	•	811-402003
217-90990	BT 40 - D. 25 P	40	25	45	80	59	•	811-402005
217-90991	BT 40 - D. 32 P	40	32	52	85	63	•	811-402005
8721	BT 50 - D. 16 P	50	16	36	80	54	•	811-402003
217-90993	BT 50 - D. 20 P	50	20	40	80	54	•	811-402003
217-90994	BT 50 - D. 25 P	50	25	45	90	59	•	811-402005
217-90995	BT 50 - D. 32 P	50	32	52	90	63	•	811-402005
217-90996	BT 50 - D. 40 P	50	40	60	100	73	•	811-402007

FACE MILL HOLDERS - TENONS DRIVE




JIS-B 6339 MAS 403/BT SHAPE AD/B - ISO 3937

COD. (AD)	COD. (AD+B)	DESCRIPTION	ISO	d	L1	L2	d2	d3	G6,3 8000	1	2	3
										CROSS SCREW	TENON	SCREW WRENCH
												
216-71501	-	BT 30 - D. 16 FISSO / H 35	30	16	35	17	38	-	•	811-107003	814-202280	811-101004 816-130002
216-71502	-	BT 30 - D. 22 FISSO / H 40	30	22	40	19	48	-	•	811-107004	814-202250	811-101011 816-130003
216-71503	-	BT 30 - D. 27 FISSO / H 40	30	27	40	21	58	-	•	811-107005	814-202270	7414 816-130004
216-71507	216-71401	BT 40 - D. 16 FISSO / H 45	40	16	45	17	38	-	•	811-107003	814-202280	811-101004 816-130002
216-71522	216-71411	BT 40 - D. 16 FISSO / H 100	40	16	100	17	38	-	•	811-107003	814-202280	811-101004 816-130002
9420	216-71428	BT 40 - D. 16 FISSO / H 130	40	16	130	17	38	-	•	811-107003	814-202280	811-101004 816-130002
216-71523	216-71437	BT 40 - D. 16 FISSO / H 160	40	16	160	17	38	-	•	811-107003	814-202280	811-101004 816-130002
216-71508	216-71402	BT 40 - D. 22 FISSO / H 45	40	22	45	19	48	-	•	811-107004	814-202250	811-101011 816-130003
216-71526	216-71412	BT 40 - D. 22 FISSO / H 100	40	22	100	19	46	48	•	811-107004	814-202250	811-101011 816-130003
216-71530	-	BT 40 - D. 22 FISSO / H 100 FIS.63	40	22	100	19	50	59	•	811-107004	814-202250	811-101011 816-130003
9421	216-71429	BT 40 - D. 22 FISSO / H 130	40	22	130	19	46	48	•	811-107004	814-202250	811-101011 816-130003
216-71527	216-71438	BT 40 - D. 22 FISSO / H 160	40	22	160	19	46	48	•	811-107004	814-202250	811-101011 816-130003
216-71509	216-71403	BT 40 - D. 27 FISSO / H 45	40	27	45	21	58	-	•	811-107005	814-202270	7414 816-130004
216-71599	216-71413	BT 40 - D. 27 FISSO / H 100	40	27	100	21	48	-	•	811-107005	814-202160	811-101017 816-130004
9422	216-71430	BT 40 - D. 27 FISSO / H 130	40	27	130	21	55	-	•	811-107005	814-202270	7414 816-130004
5591	216-71452	BT 40 - D. 27 FISSO / H 160	40	27	160	21	55	-	•	811-107005	814-202270	7414 816-130004
216-71510	216-71404	BT 40 - D. 32 FISSO / H 50	40	32	50	24	78	-	•	811-107006	814-202630	811-101029 816-130005
266-71501	5888	BT 40 - D. 32 FISSO / H 100	40	32	100	24	58	-	•	811-107006	814-202170	811-101027 816-130005
8419	216-71453	BT 40 - D. 32 FISSO / H 160	40	32	160	24	66	-	•	811-107006	814-202290	0207 816-130005
216-71511	216-71405	BT 40 - D. 40 FISSO / H 55	40	40	55	27	88	-	•	811-107006	814-202290	0207 816-130005
266-71502	8445	BT 40 - D. 40 FISSO / H 100	40	40	100	27	70	-	•	811-107007	814-202710	811-101029 816-130006
-	9025	BT 40 - D. 40 FISSO / H 130	40	40	130	27	88	60	•	811-107007	814-202180	0207 816-130006
8421	216-71454	BT 40 - D. 40 FISSO / H 160	40	40	160	27	88	-	•	811-107007	814-202710	811-101029 816-130006
216-71517	216-71406	BT 50 - D. 16 FISSO / H 60	50	16	60	17	38	-	•	811-107003	814-202280	811-101004 816-130002
216-71589	216-71415	BT 50 - D. 16 FISSO / H 100	50	16	100	17	38	-	•	811-107003	814-202280	811-101004 816-130002
9425	216-71432	BT 50 - D. 16 FISSO / H 130	50	16	130	17	38	-	•	811-107003	814-202280	811-101004 816-130002
216-71591	216-71439	BT 50 - D. 16 FISSO / H 160	50	16	160	17	38	-	•	811-107003	814-202280	811-101004 816-130002
216-71593	216-71446	BT 50 - D. 16 FISSO / H 200	50	16	200	17	38	-	•	811-107003	814-202280	811-101004 816-130002
216-71518	216-71407	BT 50 - D. 22 FISSO / H 60	50	22	60	19	48	-	•	811-107004	814-202250	811-101011 816-130003
216-71534	216-71416	BT 50 - D. 22 FISSO / H 100	50	22	100	19	46	49	•	811-107004	814-202250	811-101011 816-130003
9492	-	BT 50 - D. 22 FISSO / H 100 FIS.63	50	22	100	19	50	60	•	811-107004	814-202250	811-101011 816-130003

follows >>

FACE MILL HOLDERS - TENONS DRIVE




JIS-B 6339 MAS 403/BT SHAPE AD/B - ISO 3937

COD. (AD)	COD. (AD+B)	DESCRIPTION	ISO	d	L1	L2	d2	d3	G6,3 8000	1	2	3
										CROSS SCREW	TENON	SCREW WRENCH
												
9426	216-71433	BT 50 - D. 22 FISSO / H 130	50	22	130	19	46	56	•	811-107004	814-202250	811-101011 816-130003
216-71535	216-71440	BT 50 - D. 22 FISSO / H 160	50	22	160	19	46	49	•	811-107004	814-202250	811-101011 816-130003
216-71540	-	BT 50 - D. 22 FISSO / H 160 FIS.63	50	22	160	19	50	60	•	811-107004	814-202250	811-101011 816-130003
216-71541	-	BT 50 - D. 22 FISSO / H 200 FIS.63	50	22	200	19	50	60	•	811-107004	814-202250	811-101011 816-130003
216-71519	216-71408	BT 50 - D. 27 FISSO / H 60	50	27	60	21	58	-	•	811-107005	814-202270	7414 816-130004
216-71544	216-71417	BT 50 - D. 27 FISSO / H 100	50	27	100	21	55	78	•	811-107005	814-202270	7414 816-130004
9427	216-71434	BT 50 - D. 27 FISSO / H 130	50	27	130	21	55	78	•	811-107005	814-202270	7414 816-130004
216-71545	216-71441	BT 50 - D. 27 FISSO / H 160	50	27	160	21	55	78	•	811-107005	814-202270	7414 816-130004
216-71520	216-71409	BT 50 - D. 32 FISSO / H 60	50	32	60	24	78	-	•	811-107006	814-202630	811-101029 816-130005
216-71590	216-71418	BT 50 - D. 32 FISSO / H 100	50	32	100	24	66	78	•	811-107006	814-202290	811-101029 816-130005
9428	216-71435	BT 50 - D. 32 FISSO / H 130	50	32	130	24	66	78	•	811-107006	814-202290	811-101029 816-130005
216-71592	216-71442	BT 50 - D. 32 FISSO / H 160	50	32	160	24	66	78	•	811-107006	814-202290	811-101029 816-130005
216-71521	216-71410	BT 50 - D. 40 FISSO / H 60	50	40	60	27	88	-	•	811-107007	814-202710	811-101029 816-130006
266-71503	216-71419	BT 50 - D. 40 FISSO / H 100	50	40	100	27	70	78	•	811-107007	814-202180	0207 816-130006
-	216-71436	BT 50 - D. 40 FISSO / H 130	50	40	130	27	70	-	•	811-107007	814-202180	0207 816-130006
8434	216-71443	BT 50 - D. 40 FISSO / H 160	50	40	160	27	70	78	•	811-107007	814-202180	0207 816-130006

ACCESSORIES



COMBI-SHELL MILL HOLDERS



JIS-B 6339 MAS 403/BT SHAPE A - DIN 6358

COD.	DESCRIPTION	ISO	d	L1	L2	L3	d2	d3	G6,3 8000	1	2	3	WRENCH
										COUPLING RING	CROSS SCREW	KEY	
													
216-11527	BT 30 - D.16 C / H 50	30	16	50	17	27	32	-	•	814-30001	811-107003	814-201010	816-130002
0953	BT 30 - D.16 C / H 100	30	16	100	17	27	32	-	•	814-30001	811-107003	814-201010	816-130002
216-11528	BT 30 - D.22 C / H 50	30	22	50	19	31	40	-	•	814-30002	811-107004	814-201020	816-130003
216-11537	BT 30 - D.22 C / H 100	30	22	100	19	31	40	-	•	814-30002	811-107004	0016	816-130003
3943	BT 30 - D.27 C / H 55	30	27	55	21	33	48	-	•	814-30003	811-107005	814-201030	816-130004
216-11501	BT 40 - D.16 C / H 55	40	16	55	17	27	32	-	•	814-30001	811-107003	814-201010	816-130002
216-11517	BT 40 - D.16 C / H 100	40	16	100	17	27	32	44	•	814-30001	811-107003	814-201010	816-130002
8483	BT 40 - D.16 C / H 160	40	16	160	17	27	32	44	•	814-30001	811-107003	814-201010	816-130002
216-11502	BT 40 - D.22 C / H 55	40	22	55	19	31	40	-	•	814-30002	811-107004	814-201020	816-130003
216-11518	BT 40 - D.22 C / H 100	40	22	100	19	31	40	-	•	814-30002	811-107004	814-201020	816-130003
8484	BT 40 - D.22 C / H 160	40	22	160	19	31	40	47	•	814-30002	811-107004	814-201020	816-130003
216-11503	BT 40 - D.27 C / H 55	40	27	55	21	33	48	-	•	814-30003	811-107005	814-201030	816-130004
216-11519	BT 40 - D.27 C / H 100	40	27	100	21	33	48	-	•	814-30003	811-107005	814-201030	816-130004
8485	BT 40 - D.27 C / H 160	40	27	160	21	33	48	55	•	814-30003	811-107005	814-201030	816-130004
216-11504	BT 40 - D.32 C / H 60	40	32	60	24	38	58	-	•	814-30004	811-107006	814-201040	816-130005
216-11520	BT 40 - D.32 C / H 100	40	32	100	24	38	58	-	•	814-30004	811-107006	814-201040	816-130005
8486	BT 40 - D.32 C / H 160	40	32	160	24	38	58	-	•	814-30004	811-107006	814-201040	816-130005
216-11505	BT 40 - D.40 C / H 60	40	40	60	27	41	70	-	•	814-30005	811-107007	814-201050	816-130006
216-11521	BT 40 - D.40 C / H 100	40	40	100	27	41	70	-	•	814-30005	811-107007	814-201050	816-130006
216-11507	BT 50 - D.16 C / H 70	50	16	70	17	27	32	-	•	814-30001	811-107003	814-201010	816-130002
4117	BT 50 - D.16 C / H 100	50	16	100	17	27	32	44	•	814-30001	811-107003	814-201010	816-130002
216-11508	BT 50 - D.22 C / H 70	50	22	70	19	31	40	-	•	814-30002	811-107004	814-201020	816-130003
216-11523	BT 50 - D.22 C / H 100	50	22	100	19	31	40	50	•	814-30002	811-107004	814-201020	816-130003
216-11509	BT 50 - D.27 C / H 70	50	27	70	21	33	48	-	•	814-30003	811-107005	814-201030	816-130004
216-11524	BT 50 - D.27 C / H 100	50	27	100	21	33	48	60	•	814-30003	811-107005	814-201030	816-130004
216-11510	BT 50 - D.32 C / H 70	50	32	70	24	38	58	-	•	814-30004	811-107006	814-201040	816-130005
216-11525	BT 50 - D.32 C / H 100	50	32	100	24	38	58	-	•	814-30004	811-107006	814-201040	816-130005
3816	BT 50 - D.40 C / H 70	50	40	70	27	41	70	-	•	814-30005	811-107007	814-201050	816-130006
4121	BT 50 - D.40 C / H 100	50	40	100	27	41	70	-	•	814-30005	811-107007	814-201050	816-130006

ACCESSORIES

p. 675




p. 674



p. 675



MILL HOLDERS WITH FEATHER KEY




JIS-B 6339 MAS 403/BT SHAPE A - DIN 6358

COD.	DESCRIPTION	ISO	d	L1	L2	d1	G6.3 8000	1	2	
								CROSS SCREW	KEY	WRENCH
8503	BT 40 - D. 16 CHT	40	16	52	30	28	•	811-107003	0147	816-130002
8504	BT 40 - D. 22 CHT	40	22	52	40	36	•	811-107004	0148	816-130003
8505	BT 40 - D. 27 CHT	40	27	52	60	43	•	811-107005	0149	816-130004
8506	BT 40 - D. 32 CHT	40	32	52	60	48	•	811-107006	0150	816-130005
8507	BT 40 - D. 40 CHT	40	40	52	60	56	•	811-107007	0151	816-130006

ACCESSORIES



FACE MILL HOLDER FOR FACE MILLING CUTTERS




JIS-B 6339 MAS 403/BT A - DIN 6357

COD.	DESCRIPTION	ISO	d	L	d1	D2	M	b	G6.3 8000	1	2	3
										SCREW	TENON	KEY
4186	BT 40 - D. 40 FM	40	40	60	89	66,7	M 12	15,9	•	0207	814-202080	811-107007
216-21502	BT 50 - D. 40 FM	50	40	70	89	66,7	M 12	15,9	•	0207	814-202080	811-107007
216-21503	BT 50 - D. 60 FM	50	60	80	129	101,6	M16	25,4	•	811-101064	814-202120	-

ACCESSORIES




END MILL HOLDERS FOR MILLING CUTTERS WITH THREADED SHANKS



JIS-B 6339 MAS 403/BT SHAPE A/D - DIN 6358

COD.	DESCRIPTION	ISO	M	D	d	d2	H	L	G6.3 12000
217-81420	BT 40 - M 8 / H 55	40	M 8	8,5	13	15	55	28	•
7828	BT 40 - M 8 / H 77	40	M 8	8,5	13	23	77	50	•
217-81402	BT 40 - M 8 / H 102	40	M 8	8,5	13	23	102	75	•
7830	BT 40 - M 8 / H 127	40	M 8	8,5	13	25	127	100	•
217-81421	BT 40 - M 10 / H 55	40	M 10	10,5	18	20	55	28	•
217-81404	BT 40 - M 10 / H 77	40	M 10	10,5	18	23	77	50	•
7833	BT 40 - M 10 / H 102	40	M 10	10,5	18	28	102	75	•
217-81406	BT 40 - M 10 / H 127	40	M 10	10,5	18	32	127	100	•
217-81422	BT 40 - M 12 / H 55	40	M 12	12,5	21	24	55	28	•
217-81407	BT 40 - M 12 / H 77	40	M 12	12,5	21	24	77	50	•
217-81408	BT 40 - M 12 / H 102	40	M 12	12,5	21	31	102	75	•
217-81409	BT 40 - M 12 / H 127	40	M 12	12,5	21	33	127	100	•
217-81423	BT 40 - M 16 / H 55	40	M 16	17,0	29	32	55	28	•
217-81410	BT 40 - M 16 / H 77	40	M 16	17,0	29	34	77	50	•
217-81411	BT 40 - M 16 / H 102	40	M 16	17,0	29	34	102	75	•
217-81412	BT 40 - M 16 / H 127	40	M 16	17,0	29	36	127	100	•
217-81413	BT 40 - M 16 / H 152	40	M 16	17,0	29	40	152	125	•
217-81414	BT 50 - M 12 / H 88	50	M 12	12,5	21	24	88	50	•
7845	BT 50 - M 12 / H 138	50	M 12	12,5	21	33	138	100	•
7846	BT 50 - M 12 / H 188	50	M 12	12,5	21	40	188	150	•
8719	BT 50 - M 12 / H 254	50	M 12	12,5	21	42	254	216	•
217-81417	BT 50 - M 16 / H 88	50	M 16	17,0	29	34	88	50	•
217-81418	BT 50 - M 16 / H 138	50	M 16	17,0	29	36	138	100	•
217-81419	BT 50 - M 16 / H 188	50	M 16	17,0	29	42,5	188	150	•
8720	BT 50 - M 16 / H 254	50	M 16	17,0	29	44	254	216	•


INDEXABLE MORSE TAPER DRILL HOLDERS



JIS-B 6339 MAS 403/BT SHAPE A/D - DIN 228-2

COD.	DESCRIPTION	ISO	MORSE	d	L	G6.3 8000
8346	BT 30 - CM 1 PUNTE	30	1	25	50	•
3796	BT 30 - CM 2 PUNTE	30	2	32	60	•
3883	BT 30 - CM 3 PUNTE	30	3	40	80	•
212-41501	BT 40 - CM 1 PUNTE	40	1	25	50	•
212-41502	BT 40 - CM 2 PUNTE	40	2	32	60	•
212-41503	BT 40 - CM 3 PUNTE	40	3	40	75	•
212-41504	BT 40 - CM 4 PUNTE	40	4	48	95	•
212-41519	BT 50 - CM 1 PUNTE	50	1	25	45	•
212-41505	BT 50 - CM 2 PUNTE	50	2	32	60	•
212-41506	BT 50 - CM 3 PUNTE	50	3	40	65	•
212-41507	BT 50 - CM 4 PUNTE	50	4	48	95	•
212-41508	BT 50 - CM 5 PUNTE	50	5	63	105	•


END MILL HOLDERS FOR MORSE TAPER CUTTERS



JIS-B 6339 MAS 403/BT SHAPE A - DIN 228-2

COD.	DESCRIPTION	ISO	MORSE	d	L	G6.3 8000	1	2	WRENCH
							SCREW	LEFT NUT	
3884	BT 30 - CM 3 FRESE	30	3	40	80	•			
212-21502	BT 40 - CM 2 FRESE	40	2	32	50	•	7402	811-302032	816-20206002
212-21503	BT 40 - CM 3 FRESE	40	3	40	75	•	811-111007	811-302031	816-20205002
212-21504	BT 40 - CM 4 FRESE	40	4	48	95	•	7403	811-302032	816-20206002
3801	BT 50 - CM 2 FRESE	50	2	32	50	•	7404	811-302036	816-20207002
212-21506	BT 50 - CM 3 FRESE	50	3	40	65	•	811-111007	811-302031	816-20205002
212-21507	BT 50 - CM 4 FRESE	50	4	48	95	•	7403	811-302032	816-20206002
3891	BT 50 - CM 5 FRESE	50	5	63	120	•	7407	811-302036	816-20207002
							7408	811-302034	816-20208002


COMBI MORSE TAPER HOLDERS FOR DRILLS AND MILLING CUTTERS



JIS-B 6339 MAS 403/BT SHAPE A - DIN 228-2

COD.	DESCRIPTION	ISO	MORSE	d	L	G6.3 8000	1	2
							SCREW	REDUCER
								
212-61518	BT 40 - CM 1 P+ F	40	1	25	50	•	7400	-
212-61519	BT 40 - CM 2 P+ F	40	2	32	60	•	7401	-
212-61520	BT 40 - CM 3 P+ F	40	3	40	75	•	7400	811-302006
3790	BT 50 - CM 1 P+ F	50	1	25	45	•	7400	-
212-61523	BT 50 - CM 2 P+ F	50	2	32	60	•	7405	-
212-61524	BT 50 - CM 3 P+ F	50	3	40	65	•	811-101070	-
212-61525	BT 50 - CM 4 P+ F	50	4	48	95	•	7409	-


COMBI MORSE TAPER HOLDERS FOR DRILLS AND MILLING CUTTERS



JIS-B 6339 MAS 403/BT SHAPE A - DIN 228-2

COD. DRILLS	COD.DRILLS + MILLING CUTTERS	DESCRIPTION	ISO	MORSE	d	L	G6.3 8000	1	2
								SCREW	REDUCER
									
8348	4258	BT 40 - CM 1	40	1	18	115	•	7400	-
8350	212-61502	BT 40 - CM 2	40	2	25	120	•	7401	-
8351	212-61503	BT 40 - CM 3	40	3	33	140	•	7400	811-302006
4261	-	BT 40 - CM 4	40	4	40	165	•	-	-
8353	212-61505	BT 50 - CM 1	50	1	18	120	•	7400	-
8355	212-61506	BT 50 - CM 2	50	2	25	140	•	7405	-
8357	212-61507	BT 50 - CM 3	50	3	33	150	•	811-101070	-
8358	212-61508	BT 50 - CM 4	50	4	40	180	•	7409	-
8359	-	BT 50 - CM 5	50	5	55	220	•	-	-

ADAPTER FROM BT TO NT/SK/BT




JIS-B 6339 MAS 403/BT SHAPE A - MAS403BT

COD.	DESCRIPTION	ISO	d	L	G6,3 8000	1	2	3	WRENCH
						SCREW DIN 2080	SCREW BT DIN 69871	NUT	
212-11504	BT 40 - ISO 30 / TC 30 / BT 30	30	50	70	•				
212-11508	BT 40 - ISO 40 / TC 40 / BT 40	40	68	100	•	*811-401147	*811-401150	*811-302036	816-20207002
212-11507	BT 50 - ISO 40 / TC 40 / BT 40	40	78	70	•	*811-401147	*811-401150	*811-302036	816-20207002
212-11509	BT 50 - ISO 50 / TC 50 / BT 50	50	100	120	•	*811-401151	*811-401152	*811-302047	816-202090

*included in delivery


ADAPTER FROM BT TO DIN69893-1 (HSK A+C)



JIS-B 6339 MAS 403/BT SHAPE AD/B

COD.	DESCRIPTION	ISO	d	L	G6,3 8000	1	2
						LOCKING RING	CLAMPING UNIT
212-91402	BT 40 - HSK 63 A+C	40	63	80	•	H63A-AN	H63A-UBL
212-91404	BT 50 - HSK 63 A+C	50	63	70	•	H63A-AN	H63A-UBL


ADAPTER FROM BT TO ISO26623-1 (POLYGONAL)




JIS-B 6339 MAS 403/BT SHAPE AD/B - MAS403BT

COD.	DESCRIPTION	ISO	d	L	G6.3 8000
BT40H75C63ADB	BT 40 - C 63 / H 75	40	63	75	•
BT50H70C40ADB	BT 50 - C 40/ H 70	50	40	70	•
BT50H90C63ADB	BT 50 - C 63 / H 90	50	63	90	•

ER COLLET CHUCK WITH MINI NUT



H= 0 > 100 mm - 5 µm
H= 100 > 200 mm - 10 µm




JIS-B 6339 MAS 403/BT AD/B - DIN 6358


COD. (AD)	COD. (AD+B)	DESCRIPTION	ISO	ER	d	d2	d3	L	H	G6,3 12000	G6,3 15000	1 2			
												NUT	SCREW	WRENCH	COLLET
214-91448	-	BT 30 - ER 11 GM /H 70 SLIM LINE	30	ER 111÷8	16	16	19	70	20	-	•	812-203012	811-102114	816-203008	ER11
9655	-	BT 30 - ER 11 GM /H 100 SLIM LINE	30	ER 111÷8	16	14	20	100	20	-	•	812-203012	811-102114	816-203008	ER11
214-31596	-	BT 30 - ER 16 GM /H 80 SLIM LINE	30	ER 161÷12	22	22	-	80	-	-	•	812-203013	811-102114	816-203009	ER16
3454	-	BT 30 - ER 16 GM /H 120 SLIM LINE	30	ER 161÷12	22	22	-	120	-	-	•	812-203013	811-102114	816-203009	ER16
214-91433	4855	BT 40 - ER 11 GM /H 70 SLIM LINE	40	ER 111÷8	16	14	20	70	20	-	•	812-203012	811-102114	816-203008	ER11
214-91434	4856	BT 40 - ER 11 GM /H 100 SLIM LINE	40	ER 111÷8	16	14	20	100	40	-	•	812-203012	811-102114	816-203008	ER11
3272	4857	BT 40 - ER 11 GM /H 130 SLIM LINE	40	ER 111÷8	16	16	-	130	-	-	•	812-203012	811-102114	816-203008	ER11
214-91435	4858	BT 40 - ER 11 GM /H 160 SLIM LINE	40	ER 111÷8	16	14	27	160	50	-	•	812-203012	811-102114	816-203008	ER11
214-91436	4859	BT 40 - ER 16 GM /H 70 SLIM LINE	40	ER 161÷12	22	22	25	70	27	-	•	812-203013	811-102030	816-203009	ER16
214-91437	4860	BT 40 - ER 16 GM /H 100 SLIM LINE	40	ER 161÷12	22	22	26	100	47	-	•	812-203013	811-102030	816-203009	ER16
3457	4861	BT 40 - ER 16 GM /H 130 SLIM LINE	40	ER 161÷12	22	22	-	130	-	-	•	812-203013	811-102030	816-203009	ER16
214-91438	4862	BT 40 - ER 16 GM /H 160 SLIM LINE	40	ER 161÷12	22	22	26	160	97	-	•	812-203013	811-102030	816-203009	ER16
4781	4812	BT 40 - ER 16 GM /H 200 SLIM LINE	40	ER 161÷12	22	22	-	200	-	-	•	812-203013	811-102030	816-203009	ER16
214-91450	4501	BT 40 - ER 20 GM /H 70 SLIM LINE	40	ER 201÷15	28	27	-	70	-	-	•	812-203014	4973	816-203010	ER20
214-91451	4863	BT 40 - ER 20 GM /H 100 SLIM LINE	40	ER 201÷15	28	27	30	100	48	-	•	812-203014	4973	816-203010	ER20
3458	4864	BT 40 - ER 20 GM /H 130 SLIM LINE	40	ER 201÷15	28	27	-	130	-	-	•	812-203014	4973	816-203010	ER20
214-91452	4865	BT 40 - ER 20 GM /H 160 SLIM LINE	40	ER 201÷15	28	27	31	160	98	-	•	812-203014	4973	816-203010	ER20
4782	4813	BT 40 - ER 20 GM /H 200 SLIM LINE	40	ER 201÷15	28	27	-	200	-	-	•	812-203014	4973	816-203010	ER20
214-91439	4656	BT 40 - ER 25 GM /H 70 SLIM LINE	40	ER 251÷20	35	33	-	70	-	-	•	812-203015	0190	816-203011	ER25
214-91440	4866	BT 40 - ER 25 GM /H 100 SLIM LINE	40	ER 251÷20	35	33	-	100	-	-	•	812-203015	0190	816-203011	ER25
4690	4867	BT 40 - ER 25 GM /H 130 SLIM LINE	40	ER 251÷20	35	33	-	130	-	-	•	812-203015	0190	816-203011	ER25
214-91441	4868	BT 40 - ER 25 GM /H 160 SLIM LINE	40	ER 251÷20	35	33	33	160	103	-	•	812-203015	0190	816-203011	ER25
3460	4814	BT 40 - ER 25 GM /H 200 SLIM LINE	40	ER 251÷20	35	33	-	200	-	-	•	812-203015	0190	816-203011	ER25
214-91443	-	BT 50 - ER 16 GM /H 100 SLIM LINE	50	ER 161÷12	22	22	26	100	47	•	-	812-203013	811-102030	816-203009	ER16
3463	4869	BT 50 - ER 16 GM /H 130 SLIM LINE	50	ER 161÷12	22	22	-	130	-	•	-	812-203013	811-102030	816-203009	ER16

follows >>

ER COLLET CHUCK WITH MINI NUT



H= 0 > 100 mm - 5 µm
H= 100 > 200 mm - 10 µm



JIS-B 6339 MAS 403/BT AD/B - DIN 6358

COD. (AD)	COD. (AD+B)	DESCRIPTION	ISO	ER	d	d2	d3	L	H	G6,3 12000	G6,3 15000	1 2			
												NUT	SCREW	WRENCH	COLLET
214-91444	4833	BT 50 - ER 16 GM /H 160 SLIM LINE	50	ER 161÷12	22	22	28	160	97	•	-				
3495	4834	BT 50 - ER 16 GM /H 200 SLIM LINE	50	ER 161÷12	22	22	-	200	-	•	-	812-203013	811-102030	816-203009	ER16
3464	4870	BT 50 - ER 20 GM /H 130 SLIM LINE	50	ER 201÷15	28	27	-	130	-	•	-	812-203014	4973	816-203010	ER20
214-91455	4657	BT 50 - ER 20 GM /H 160 SLIM LINE	50	ER 201÷15	28	27	-	160	-	•	-	812-203014	4973	816-203010	ER20
3048	4658	BT 50 - ER 20 GM /H 200 SLIM LINE	50	ER 201÷15	28	27	-	200	-	•	-	812-203014	4973	816-203010	ER20
3051	4659	BT 50 - ER 25 GM /H 130 SLIM LINE	50	ER 251÷20	35	34	-	130	-	•	-	812-203015	0190	816-203011	ER25
214-91447	4871	BT 50 - ER 25 GM /H 160 SLIM LINE	50	ER 251÷20	35	34	40	160	108	•	-	812-203015	0190	816-203011	ER25
3061	4660	BT 50 - ER 25 GM /H 200 SLIM LINE	50	ER 251÷20	35	34	-	200	-	•	-	812-203015	0190	816-203011	ER25

ACCESSORIES

p. 632




p. 615




p. 635



ER COLLET CHUCK WITH HEXAGONAL NUT



H= 0 > 100 mm - 5 µm
 H= 100 > 200 mm - 10 µm



JIS-B 6339 MAS 403/BT A - DIN 6358

COD. (AD)	COD. (AD+B)	DESCRIPTION	ISO	ER	d	L	G6,3 15000	1 2			
								NUT	SCREW	WRENCH	COLLET
214-31511EXA	-	BT 30 - ER 16 GE / H 55	30	ER 16 1÷12	28	55	•				
214-31520EXA	-	BT 30 - ER 16 GE / H 100	30	ER 16 1÷12	28	100	•	812-203009	811-102030	816-203012	ER16
8086	-	BT 30 - ER 20 GE / H 55	30	ER 20 1÷15	34	55	•	812-203010	811-102030	816-203013	ER20
8087	-	BT 30 - ER 20 GE / H 100	30	ER 20 1÷15	34	100	•	812-203010	811-102030	816-203013	ER20
3447	4843	BT 40 - ER 11 GE / H 70	40	ER 11 1÷ 8	19	70	•	812-203008	811-102114	2905	ER11
3448	4844	BT 40 - ER 11 GE / H 100	40	ER 11 1÷ 8	19	100	•	812-203008	811-102114	2905	ER11
3449	4845	BT 40 - ER 11 GE / H 130	40	ER 11 1÷ 8	19	130	•	812-203008	811-102114	2905	ER11
3450	4846	BT 40 - ER 11 GE / H 160	40	ER 11 1÷ 8	19	160	•	812-203008	811-102114	2905	ER11
214-31539EXA	8104	BT 40 - ER 16 GE / H 70	40	ER 16 1÷12	28	70	•	812-203009	811-102030	816-203012	ER16
214-31527EXA	8105	BT 40 - ER 16 GE / H 100	40	ER 16 1÷12	28	100	•	812-203009	811-102030	816-203012	ER16
8090	8106	BT 40 - ER 16 GE / H 130	40	ER 16 1÷12	28	130	•	812-203009	811-102030	816-203012	ER16
214-31442EXA	8107	BT 40 - ER 16 GE / H 160	40	ER 16 1÷12	28	160	•	812-203009	811-102030	816-203012	ER16
8092	-	BT 40 - ER 16 GE / H 200	40	ER 16 1÷12	28	200	•	812-203009	811-102030	816-203012	ER16
8093	8109	BT 40 - ER 20 GE / H 70	40	ER 20 1÷15	34	70	•	812-203010	811-102030	816-203013	ER20
8094	8110	BT 40 - ER 20 GE / H 100	40	ER 20 1÷15	34	100	•	812-203010	811-102030	816-203013	ER20
8095	8111	BT 40 - ER 20 GE / H 130	40	ER 20 1÷15	34	130	•	812-203010	811-102030	816-203013	ER20
8096	8112	BT 40 - ER 20 GE / H 160	40	ER 20 1÷15	34	160	•	812-203010	811-102030	816-203013	ER20
8097	-	BT 40 - ER 20 GE / H 200	40	ER 20 1÷15	34	200	•	812-203010	811-102030	816-203013	ER20

ACCESSORIES

p. 633




p. 615




p. 636



ER COLLET CHUCKS - HIGH PRECISION




H= 0 > 100 mm - 5 µm
H= 100 > 200 mm - 10 µm



MAS BT AD+B - DIN 6499

COD.	DESCRIPTION	ISO	L	D	ER	G2.5 30000	NUT	WRENCH
214-91473*	BT30H70ER16-HP	30	70	30	16	•	812-203085	816-203069
214-91474*	BT30H70ER25-HP	30	70	40	25	•	812-203086	816-203070
214-91475*	BT30H70ER32-HP	30	70	50	32	•	812-203087	816-203071
214-91462	BT40H70ER16-HP	40	70	30	16	•	812-203085	816-203069
214-91463	BT40H70ER25-HP	40	70	40	25	•	812-203086	816-203070
214-91464	BT40H70ER32-HP	40	70	50	32	•	812-203087	816-203071
PP91467	BT40H100ER16-HP	40	100	30	16	•	812-203085	816-203069
PP91469	BT40H100ER25-HP	40	100	40	25	•	812-203086	816-203070
214-91470	BT40H100ER32-HP	40	100	50	32	•	812-203087	816-203071
214-91465	BT50H80ER16-HP	50	80	30	16	•	812-203085	816-203069
214-91471	BT50H100ER16-HP	50	100	30	16	•	812-203085	816-203069
214-91472	BT50H100ER32-HP	50	100	50	32	•	812-203087	816-203071

* for BT30, AD shape only



**HIGH
PRECISION LINE**

STANDARD



Kit:
• 1 holder
• 10 collets

COD.	DESCRIPTION
KIT BT40 ER16 HP	BT40 ER16 H70 HP
KIT BT40 ER25 HP	BT40 ER25 H70 HP
KIT BT40 ER32 HP	BT40 ER32 H70 HP

ACCESSORIES

p. 153




p. 615




p. 153



ER COLLET CHUCKS



H= 0 > 100 mm - 5 µm
 H= 100 > 200 mm - 10 µm




JIS-B 6339 MAS 403/BT AD - DIN 6499/ISO15488


									12			
COD. (AD)	COD. (AD+B)	DESCRIPTION	ISO	ER	d	L	G6,3 12000	G6,3 15000	NUT	SCREW	WRENCH	COLLET
												
214-31511	-	BT 30 - ER16 / H 55	30	ER 16 1÷12	32	55	-	•	812-203005	811-102030	816-203000	ER16
214-31520	-	BT 30 - ER16 / H 100	30	ER 16 1÷12	32	100	-	•	812-203005	811-102030	816-203000	ER16
214-31585	-	BT 30 - ER20 / H 55	30	ER 20 1÷15	35	55	-	•	812-203006	811-102030	816-203005	ER20
214-31573	-	BT 30 - ER20 / H 100	30	ER 20 1÷15	35	100	-	•	812-203006	811-102030	816-203005	ER20
214-31512	-	BT 30 - ER25 / H 55	30	ER 25 1÷20	42	55	-	•	812-203001	0190	816-203001	ER25
214-31538	-	BT 30 - ER25 / H 100	30	ER 25 1÷20	42	100	-	•	812-203001	0190	816-203001	ER25
214-31525	-	BT 30 - ER32 / H 60	30	ER 32 2÷25	50	60	-	•	812-203002	0190	816-203002	ER32
3252	-	BT 30 - ER32 / H 100	30	ER 32 2÷25	50	100	-	•	812-203002	0190	816-203002	ER32
214-31539	214-31447	BT 40 - ER16 / H 70	40	ER 16 1÷12	32	70	-	•	812-203005	811-102038	816-203000	ER16
214-31527	214-31448	BT 40 - ER16 / H 100	40	ER 16 1÷12	32	100	-	•	812-203005	811-102038	816-203000	ER16
214-31477	4847	BT 40 - ER16 / H 130	40	ER 16 1÷12	32	130	-	•	812-203005	811-102038	816-203000	ER16
214-31442	4874	BT 40 - ER16 / H 160	40	ER 16 1÷12	32	160	-	•	812-203005	811-102038	816-203000	ER16
214-31454	4852	BT 40 - ER16 / H 200	40	ER 16 1÷12	32	200	-	•	812-203005	811-102038	816-203000	ER16
214-31555	214-31474	BT 40 - ER20 / H 70	40	ER 20 1÷15	35	70	-	•	812-203006	4973	816-203005	ER20
214-31556	214-31475	BT 40 - ER20 / H 100	40	ER 20 1÷15	35	100	-	•	812-203006	4973	816-203005	ER20
214-31478	4853	BT 40 - ER20 / H 130	40	ER 20 1÷15	35	130	-	•	812-203006	4973	816-203005	ER20
3114	4877	BT 40 - ER20 / H 160	40	ER 20 1÷15	35	160	-	•	812-203006	4973	816-203005	ER20
3499	4854	BT 40 - ER20 / H 200	40	ER 20 1÷15	35	200	-	•	812-203006	4973	816-203005	ER20
214-31501	214-31422	BT 40 - ER25 / H 70	40	ER 25 1÷20	42	70	-	•	812-203001	0190	816-203001	ER25
214-31542	214-31439	BT 40 - ER25 / H 100	40	ER 25 1÷20	42	100	-	•	812-203001	0190	816-203001	ER25
214-31479	4880	BT 40 - ER25 / H 130	40	ER 25 1÷20	42	130	-	•	812-203001	0190	816-203001	ER25
214-31432	BT40H160ER25ADB	BT 40 - ER25 / H 160	40	ER 25 1÷20	42	160	-	•	812-203001	0190	816-203001	ER25
214-31455	4811	BT 40 - ER25 / H 200	40	ER 25 1÷20	42	200	-	•	812-203001	0190	816-203001	ER25
214-31502	214-31423	BT 40 - ER32 / H 70	40	ER 32 2÷25	50	70	-	•	812-203002	811-303118	816-203002	ER32
214-31545	214-31440	BT 40 - ER32 / H 100	40	ER 32 2÷25	50	100	-	•	812-203002	811-303118	816-203002	ER32
214-31480	4884	BT 40 - ER32 / H 130	40	ER 32 2÷25	50	130	-	•	812-203002	811-303118	816-203002	ER32
214-31433	4885	BT 40 - ER32 / H 160	40	ER 32 2÷25	50	160	-	•	812-203002	811-303118	816-203002	ER32
214-31456	4886	BT 40 - ER32 / H 200	40	ER 32 2÷25	50	200	-	•	812-203002	811-303118	816-203002	ER32
214-31515	214-31424	BT 40 - ER40 / H 70	40	ER 40 3÷32	63	70	-	•	812-203003	0195	816-203003	ER40
214-31583	214-31449	BT 40 - ER40 / H 100	40	ER 40 3÷32	63	100	-	•	812-203003	0195	816-203003	ER40

follows >>

ER COLLET CHUCKS



H= 0 > 100 mm - 5 µm
 H= 100 > 200 mm - 10 µm



JIS-B 6339 MAS 403/BT AD - DIN 6499/ISO15488

COD. (AD)	COD. (AD+B)	DESCRIPTION	ISO	ER	d	L	G6,3 12000	G6,3 15000	1	2	WRENCH	COLLET
									NUT	SCREW		
												
214-31481	4889	BT 40 - ER40 / H 130	40	ER 40 3÷32	63	130	-	•	812-203003	0195	816-203003	ER40
214-31451	4890	BT 40 - ER40 / H 160	40	ER 40 3÷32	63	160	-	•	812-203003	0195	816-203003	ER40
214-31457	4891	BT 40 - ER40 / H 200	40	ER 40 3÷32	63	200	-	•	812-203003	0195	816-203003	ER40
3265	4931	BT 40 - ER50 / H 85	40	ER 50 6÷36	78	85	-	•	812-203007	0195	816-203004	ER50
9008	-	BT 50 - ER16 / H 80	50	ER 16 1÷12	32	80	•	-	812-203005	811-102038	816-203000	ER16
214-31450	4892	BT 50 - ER16 / H 100	50	ER 16 1÷12	32	100	•	-	812-203005	811-102038	816-203000	ER16
214-31452	4893	BT 50 - ER16 / H 160	50	ER 16 1÷12	32	160	•	-	812-203005	811-102038	816-203000	ER16
214-31458	4957	BT 50 - ER16 / H 200	50	ER 16 1÷12	32	200	•	-	812-203005	811-102038	816-203000	ER16
3119	4894	BT 50 - ER20 / H 100	50	ER 20 1÷15	35	100	•	-	812-203006	4973	816-203005	ER20
3120	4895	BT 50 - ER20 / H 160	50	ER 20 1÷15	35	160	•	-	812-203006	4973	816-203005	ER20
214-31549	214-31429	BT 50 - ER25 / H 80	50	ER 25 1÷20	42	80	•	-	812-203001	0190	816-203001	ER25
214-31438	4897	BT 50 - ER25 / H 100	50	ER 25 1÷20	42	100	•	-	812-203001	0190	816-203001	ER25
214-31453	4898	BT 50 - ER25 / H 160	50	ER 25 1÷20	42	160	•	-	812-203001	0190	816-203001	ER25
214-31459	4959	BT 50 - ER25 / H 200	50	ER 25 1÷20	42	200	•	-	812-203001	0190	816-203001	ER25
214-31503	214-31430	BT 50 - ER32 / H 80	50	ER 32 2÷25	50	80	•	-	812-203002	811-303118	816-203002	ER32
214-31434	4900	BT 50 - ER32 / H 100	50	ER 32 2÷25	50	100	•	-	812-203002	811-303118	816-203002	ER32
BT50H130ER32AD4901		BT 50 - ER32 / H 130	50	ER 32 2÷25	50	130	•	-	812-203002	811-303118	816-203002	ER32
214-31435	4902	BT 50 - ER32 / H 160	50	ER 32 2÷25	50	160	•	-	812-203002	811-303118	816-203002	ER32
214-31460	4903	BT 50 - ER32 / H 200	50	ER 32 2÷25	50	200	•	-	812-203002	811-303118	816-203002	ER32
3400	4961	BT 50 - ER32 / H 250	50	ER 32 2÷25	50	250	•	-	812-203002	811-303118	816-203002	ER32
214-31504	214-31431	BT 50 - ER40 / H 80	50	ER 40 3÷32	63	80	•	-	812-203003	0195	816-203003	ER40
214-31436	4905	BT 50 - ER40 / H 100	50	ER 40 3÷32	63	100	•	-	812-203003	0195	816-203003	ER40
214-31510	4906	BT 50 - ER40 / H 130	50	ER 40 3÷32	63	130	•	-	812-203003	0195	816-203003	ER40
214-31437	4907	BT 50 - ER40 / H 160	50	ER 40 3÷32	63	160	•	-	812-203003	0195	816-203003	ER40
214-31461	4908	BT 50 - ER40 / H 200	50	ER 40 3÷32	63	200	•	-	812-203003	0195	816-203003	ER40
3473	4999	BT 50 - ER50 / H 100	50	ER 50 6÷36	78	100	•	-	812-203007	0195	816-203004	ER50
8046	8047	BT 50 - ER50 / H 160	50	ER 50 6÷36	78	160	•	-	812-203007	0195	816-203004	ER50

ACCESSORIES

p. 633



p. 615



p. 636



EQUIPMENT CASE WITH REDUCED SET OF ER COLLETS, AD SHAPE COLLET CHUCK AND WRENCH




COD.	DESCRIPTION	ISO	CHUCK	CASE	WRENCH	COLLET
						
7784	KIT Rid BT 30 / H 55 - ER 25	30	214-31512	7022	816-203001	ER25: Ø 4 - 6 - 8 -10 -12 -16
7785	KIT Rid BT 30 / H 60 - ER 32	30	214-31525	7023	816-203002	ER32: Ø 4 - 6 - 8 -10 -12 -16 - 20
7786	KIT Rid BT 40 / H 70 - ER 25	40	214-31501	7022	816-203001	ER25: Ø 4 - 6 - 8 -10 -12 -16
7787	KIT Rid BT 40 / H 70 - ER 32	40	214-31502	7023	816-203002	ER32: Ø 4 - 6 - 8 -10 -12 -16 - 20
7788	KIT Rid BT 40 / H 70 - ER 40	40	214-31515	7024	816-203003	ER40: Ø 4 - 6 - 8 -10 -12 -16 - 20 -25
7789	KIT Rid BT 50 / H 80 - ER 32	50	214-31503	7023	816-203002	ER32: Ø 4 - 6 - 8 -10 -12 -16 - 20
7790	KIT Rid BT 50 / H 80 - ER 40	50	214-31504	7024	816-203003	ER40: Ø 4 - 6 - 8 -10 -12 -16 - 20 -25

EQUIPMENT CASE WITH COMPLETE SET OF ER COLLETS, AD SHAPE COLLET CHUCK AND WRENCH



COD.	DESCRIPTION	ISO	CHUCK	CASE	WRENCH	COLLET
						
7791	KIT BT 30 / H 55 - ER 25	30	214-31512	7022	816-203001	ER25: Ø 2 ÷ 16 (15 Pinze)
7792	KIT BT 30 / H 60 - ER 32	30	214-31525	7023	816-203002	ER32: Ø 3 ÷ 20 (18 Pinze)
7793	KIT BT 40 / H 70 - ER 25	40	214-31501	7022	816-203001	ER25: Ø 2 ÷ 16 (15 Pinze)
7794	KIT BT 40 / H 70 - ER 32	40	214-31502	7023	816-203002	ER32: Ø 3 ÷ 20 (18 Pinze)
7795	KIT BT 40 / H 70 - ER 40	40	214-31515	7024	816-203003	ER40: Ø 4 ÷ 26 (23 Pinze)
7796	KIT BT 50 / H 80 - ER 32	50	214-31503	7023	816-203002	ER32: Ø 3 ÷ 20 (18 Pinze)
7797	KIT BT 50 / H 80 - ER 40	50	214-31504	7024	816-203003	ER40: Ø 4 ÷ 26 (23 Pinze)

ER COLLET CHUCKS - HIGH SPEED LINE



JIS-B 6339 MAS 403/BT AD - DIN6499/ISO15488

HIGH SPEED LINE

COD.	DESCRIPTION	ISO	ER	d	d2	L	G2,5 30000	2 SCREW
								
214-91458	BT30H60ER16	30	16	32	22	60	•	811-102030
214-91459	BT30H60ER20	30	20	35	25	60	•	811-102030
214-91460	BT30H60ER25	30	25	42	32	60	•	0190
214-91461	BT30H60ER32	30	32	50	40	60	•	0190
214-91401	BT40H70ER16	40	16	32	22	70	•	811-102030
214-91408	BT40H100ER16	40	16	32	31.5	100	•	811-102030
214-91402	BT40H70ER25	40	25	42	32	70	•	0190
214-91409	BT40H100ER25	40	25	42	41.5	100	•	0190
214-91403	BT40H70ER32	40	32	50	40	70	•	0190
214-91410	BT40H100ER32	40	32	50	49.5	100	•	0190
214-91406	BT50H80ER32	50	32	50	40	80	•	0190

ACCESSORIES



p. 633




p. 615




p. 636



DIN6388 (EOC) COLLET CHUCKS



H= 0 > 100 mm - 5 µm
H= 100 > 200 mm - 10 µm



JIS-B 6339 MAS 403/BT AD - DIN 6388

COD.	DESCRIPTION	ISO	EOC	d	L	G6.3 12000	G6.3 15000	1	2	
								NUT	WRENCH	COLLET
8726	BT 40 - EOC 16 / H 70	40	EOC 16 2÷16	43	70	-	•			
8729	BT 40 - EOC 25 / H 70	40	EOC 25 2÷25	60	70	-	•	GOC25	816-203034	EOC25
8732	BT 40 - EOC 32 / H 80	40	EOC 32 3÷32	72	80	-	•	GOC32	816-203036	EOC32
8735	BT 50 - EOC 25 / H 85	50	EOC 25 2÷25	60	85	•	-	GOC25	816-203034	EOC25
8738	BT 50 - EOC 32 / H 95	50	EOC 32 3÷32	72	95	•	-	GOC32	816-203036	EOC32
8739	BT 50 - EOC 32 / H 130	50	EOC 32 3÷32	72	130	•	-	GOC32	816-203036	EOC32

ACCESSORIES



p. 687




p. 686




p. 637



ER SHORT COLLET CHUCK WITH INNER NUT



H= 0 > 100 mm - 5 µm
H= 100 > 200 mm - 10 µm



JIS-B 6339 MAS 403/BT AD - MAS 403/BT A

COD.	DESCRIPTION	ISO	L	ER	G6.3 12000	G6.3 15000	1	2	
							NUT	WRENCH	COLLET
214-31462	BT 40 - ER 25 GA	40	29	ER 25 1±20	-	•			
214-31571	BT 40 - ER 32 GA	40	29	ER 32 2±25	-	•	812-203057	CHER25EX	ER25
214-31463	BT 50 - ER 32 GA	50	40	ER 32 2±25	•	-	812-203032	CHER32EX	ER32

ACCESSORIES

p. 634




p. 615



p. 634




MILLING CHUCK



JIS-B 6339 MAS 403/BT AD

COD. (AD)	COD. (AD+B)	DESCRIPTION	ISO	D	L	d	G6.3 12000	COLLET
214-01508	214-01601	BT 40 - PC 20 / H 80	40	20	80	54	•	OGX20
214-01501	-	BT 40 - PC 20 / H 105	40	20	105	54	•	OGX20
-	214-01602	BT 40 - PC 32 / H 85	40	32	85	63	•	OGX32
214-01502	-	BT 40 - PC 32 / H 105	40	32	105	72	•	OGX32
5133	9650	BT 40 - PC 32 / H 135	40	32	135	63	•	OGX32
214-01504	9651	BT 50 - PC 20 / H 105	50	20	105	54	•	OGX20
-	9652	BT 50 - PC 20 / H 135	50	20	135	50	•	OGX20
214-01505	9653	BT 50 - PC 32 / H 105	50	32	105	72	•	OGX32
214-01506	9654	BT 50 - PC 32 / H 135	50	32	135	72	•	OGX32

MILLING CHUCK Ø	SPECIFICATION DIN 7178-1	TOLLERANCE	RUN-OUT (3D)	CLAMPING TORQUE
C20	AT3	BT40 (0~+0,003)	0~0,01	980M.m (100Kgf.m)
C32	AT3	BT50 (0~+0,004)	0~0,01	3430M.m (350Kgf.m)



ACCESSORIES




p. 688

MILLING CHUCK KIT



COD.	DESCRIPTION	ISO	CHUCK	CASE	WRENCH	COLLET
						
KITBT40C20	KIT BT 40 - PC 20 / H 80	40	214-01508	3695	2900	0809 Ø 6 - 8 - 10 - 12 - 16
KITBT40C20DK	KIT BT 40 - PC 20 / H 105	40	214-01501	3695	2900	0809 Ø 6 - 8 - 10 - 12 - 16
KITBT40C32DK	KIT BT 40 - PC 32 / H 105	40	214-01502	3695	816-203036	0810 Ø 6 - 8 - 10 - 12 - 16 - 20 - 25
KITBT50C20	KIT BT 50 - PC 20 / H 105	50	214-01504	3695	2900	0809 Ø 6 - 8 - 10 - 12 - 16
KITBT50C32	KIT BT 50 - PC 32 / H 105	50	214-01505	3695	816-203036	0810 Ø 6 - 8 - 10 - 12 - 16 - 20 - 25

MILLING CHUCK - HIGH SPEED LINE



JIS-B 6339 MAS 403/BT


HIGH SPEED LINE

COD.	DESCRIPTION	ISO	D	d	L	G6.3 20000
214-01510	BT40H80C20HS	40	20	54	80	•
214-01511	BT40H105C20HS	40	20	54	105	•
214-01513	BT50H105C20HS	50	20	54	105	•
214-01514	BT50H105C32HS	50	32	74	105	•

ACCESSORIES




MILLING CHUCK KIT - HIGH SPEED LINE



HIGH SPEED LINE

COD.	DESCRIPTION
KIT BT40 C20HS	Nº1 BT40 L90 C20 + nº5 collets K20: Ø6,8,10,12,16
KIT BT40 C32HS	Nº1 BT40 L105 C32 + nº7 collets K32: Ø6,8,10,12,16,20,25

TENSION/COMPRESSION QUICK CHANGE TAPPING HEADS




JIS-B 6339 MAS 403/BT A

COD.	DESCRIPTION	ISO	D	d	L	RANGE	TAP SIZE RANGE
2863	BT 30 - B. 1	30	19	38	63	-7,5 + 7,5	M 3 ÷ M 12 (* M 18)
2865	BT 30 - B. 2	30	31	55	96	-12,5 + 12,5	M 6 ÷ M 20 (* M 30)
M3310	BT 40 - B. 1	40	19	38	68	-7,5 + 7,5	M 3 ÷ M 12 (* M 18)
M3410	BT 40 - B. 2	40	31	55	93	-12,5 + 12,5	M 6 ÷ M 20 (* M 30)
3526	BT 40 - B. 3	40	48	79	164	-20,0 + 20,0	M 14 ÷ M 33 (* M 48)
M3320	BT 50 - B. 1	50	19	38	80	-7,5 + 7,5	M 3 ÷ M 12 (* M 18)
M3430	BT 50 - B. 2	50	31	55	102	-12,5 + 12,5	M 6 ÷ M 20 (* M 30)
M3530	BT 50 - B. 3	50	48	79	133	-20,0 + 20,0	M 14 ÷ M 33 (* M 48)

* Adapters with screws

SOLID TAPPING HEADS




JIS-B 6339 MAS 403/BT A

COD.	DESCRIPTION	ISO	D	d	L	TAP SIZE RANGE
M6010	BT 40 - B. 1 FISSO	40	19	33	67	M 3 ÷ M 12 (* M 18)
M6020	BT 40 - B. 2 FISSO	40	31	50	90	M 6 ÷ M 20 (* M 30)
5711	BT 40 - B. 3 FISSO	40	48	72	117	M 14 ÷ M 33 (* M 48)

* Adapters with screws


DRILL CHUCKS ADAPTERS



JIS-B 6339 MAS 403/BT AD - DIN 238

COD.	DESCRIPTION	ISO	L	d	G6.3 8000
3994	BT 30 - B 16	30	40	15,733	•
3865	BT 40 - B 12	40	40	12,065	•
216-31502	BT 40 - B 16	40	40	15,733	•
3995	BT 40 - B 18	40	40	17,78	•
3996	BT 50 - B 16	50	45	15,733	•
3997	BT 50 - B 18	50	45	17,78	•


DRILL CHUCKS - RIGHT SPIN



JIS-B 6339 MAS 403/BT A

COD.	DESCRIPTION	ISO	DRILL RANGE	L	d	G6.3 8000	CLAMPS	SCREW	WRENCH
									
8593	BT 30 - DC 13	30	0,5 ÷ 13	90	50	•	832-012020	9021	816-111024
252-11501	BT 40 - DC 13	40	0,5 ÷ 13	90	50	•	832-012020	9021	816-111024
252-11502	BT 40 - DC 16	40	3 ÷ 16	120	57	•	832-012021	9023	816-111025
252-11503	BT 50 - DC 13	50	0,5 ÷ 13	110	50	•	832-012020	9021	816-111024
252-11504	BT 50 - DC 16	50	3 ÷ 16	110	57	•	832-012021	9023	816-111025


DRILL CHUCKS LEFT AND RIGHT SPIN



JIS-B 6339 MAS 403/BT A - MAS 403BT/ADB

COD. (AD)	COD. (AD+B)	DESCRIPTION	ISO	DRILL RANGE	L	d	G6.3 8000	SCREW
								
252-11400	-	BT 30 - DCU 13	30	0,5 ÷ 13	100	50	•	816-152001
252-11410	8599	BT 40 - DCU 13	40	0,5 ÷ 13	98	50	•	816-152001
252-11411	8600	BT 40 - DCU 16	40	3 ÷ 16	103	50	•	816-152001
252-11412	8601	BT 50 - DCU 13	50	0,5 ÷ 13	110	50	•	816-152001
252-11413	8602	BT 50 - DCU 16	50	3 ÷ 16	112	50	•	816-152001

BLANK BARS



JIS-B 6339 MAS 403/BT A - AD

COD.	DESCRIPTION	ISO	d	L
217-41502	BT 40 - D. 40 ST	40	40	160
4368	BT 40 - D. 50 ST	40	50	200
9490	BT 40 - D. 63 ST	40	63	160
217-41504	BT 40 - D. 63 ST	40	63	250
4372	BT 50 - D. 63 ST	50	63	250
217-41507	BT 50 - D. 80 ST	50	80	300